

D380 - 1U, 2U, 4U SPLICING ENCLOSURE

380mm depth rack-mountable enclosure in 1U, 2U or 4U is designed for supporting direct splicing.

Compatible with 19" EIA standard cabinets and rack system, the enclosure is offered with the options of modular Drawer Type or Fixed Type that pre-installed with splicing kit, cable management spools and snap-in adapter faceplates (optional) with selection of different interfaces and fiber modes.



KEY FEATURES :

- Offered in 1U, 2U or 4U with choices of Drawer Type and Fixed Type
- Accommodate with splice trays and cable management accessories
- Re-lockable front plate with hinges
- Adjustable rackmount ears
- Modular drawer (Drawer Type) can be removed completely from the enclosure
- Inter-changeable drawers (Drawer Type) support easy reconfiguration
- Transparent front plate (for 4U)

Specifications

Main Material	Standard offer : Steel Option of Aluminium on request
Dimension	1U x 435mm x 380mm
Height (U) x Width (W) x Depth (D)	2U x 435mm x 380mm
	4U x 435mm x 380mm
Available Interfaces	FC, SC, ST, LC
Available Fiber Modes	Singlemode (OS1/2) Multimode (OM1, OM2, OM3, OM4)
Color & Coating	Black Powder Coating
Compliance	RoHS, EIA-310
Preloaded Units	Splicing Kits Cable Management Spools Adjustable Rackmount Ears, 70mm from the front plate (x 2pcs) Modular Drawer (For Drawer Type Only) Snap-in Adapter Faceplates (Optional items to order separately, refer to Page 90 ~ 92)

D380 - 1U, 2U, 4U SPLICING ENCLOSURE

DRAWER TYPE

All Drawer Type Enclosures are designed to accommodate with modular sliding drawer for allowing easy reconfiguration for moves, adds and changes. They are offered with options of 1U, 2U or 4U.

The sliding drawers for this splicing enclosure are offered in either 1U (for housing 2 or 3pcs adapter faceplates), or 2U (for housing 4 or 6pcs adapter faceplates)




Example of Drawer Type Splicing Enclosure in 2U, preloaded with 1 pc of S4A Drawer, 4-slot, 48F, SC Beige Adapter
P/N: D03-04-A4R

Types of Modular Drawer


4 options of splicing drawers can be flexibly bundled with either 1U height with 2- or 3-slot, and 2U height with 4- or 6-slot.

Drawer Style: S2A




Splicing drawer of 1U Height with 2-slot
Use to house 2pcs of Size-A Faceplate (refer to Page 90)

Drawer Style: S3B




Splicing drawer of 1U Height with 3-slot
Use to house 3pcs of Size-B Faceplate (refer to Page 90)

Drawer Style: S4A



Splicing drawer of 2U Height with 4-slot
Use to house 4pcs of Size-A Faceplate (refer to Page 90)

Drawer Style: S6B



Splicing drawer of 2U Height with 6-slot
Use to house 6pcs of Size-B Faceplate (refer to Page 90)

D380 - 1U, 2U, 4U SPLICING ENCLOSURE

DRAWER TYPE

Item Description						Max. Fiber Capacity Per Enclosure			Part No.	
Rack Unit	Faceplate Slot Orientation	No. of Drawer Preloaded	Type of Drawer Preloaded ⁽¹⁾	Total No. of Faceplate Slot per Enclosure	Suitable Faceplate Size (H x W in mm)	FC/ST	SC	LC	P/N for Enclosure without Faceplate	P/N for Enclosure Preloaded with Faceplate ^{(2), (3), (4)}
1U	Horizontal	1	S2A	2-slot	Size-A: 32 x 155	24F	24F	48F	D01	D01-02-Axxxx
1U	Horizontal	1	S3B	3-slot	Size-B: 32 x 120	N/A	N/A	72F	D02	D02-03-Bxxxx
2U	Horizontal	1	S4A	4-slot	Size-A: 32 x 155	48F	48F	48F	D03	D03-04-Axxxx
2U	Horizontal	1	S6B	6-slot	Size-B: 32 x 120	48F	48F	48F	D04	D04-06-Bxxxx
2U	Horizontal	2	S2A	4-slot	Size-A: 32 x 155	48F	48F	48F	D05	D05-04-Axxxx
2U	Horizontal	2	S3B	6-slot	Size-B: 32 x 120	48F	48F	48F	D06	D06-06-Bxxxx
4U	Horizontal	2	S4A	8-slot	Size-A: 32 x 155	96F	96F	96F	D07	D07-08-Axxxx
4U	Horizontal	2	S6B	12-slot	Size-B: 32 x 120	96F	144F	144F	D08	D08-12-Bxxxx
4U	Horizontal	4	S2A	8-slot	Size-A: 32 x 155	96F	96F	96F	D09	D09-08-Axxxx
4U	Horizontal	4	S3B	12-slot	Size-B: 32 x 120	96F	144F	144F	D10	D10-12-Bxxxx

(1) Turn to Page 69 for Drawers details

(2) Part Nos. highlighted as Axxxx, Bxxxx refers to the selection of Rackmount Adapter Faceplate, please turn to Page 90 ~ 92 to select Part Nos. for Adapter Faceplate


(3) When adapter faceplates are ordered in a bundle with enclosure, it will be pre-loaded into the enclosure for shipment.

(4) When adapter faceplates are to be ordered separately with individual Part Nos. as in Page 90 ~ 92, the adapter faceplates will be packed and shipped separately.


FIXED TYPE (DESIGN WITHOUT MODULAR DRAWER)

Fixed Type Enclosure is designed to accommodate with snap-in adapter faceplates with the most convenient and economical design.

It offers in 1U (for housing 2pcs adapter faceplates), and 4U (for housing 12pcs of adapter faceplates)



1U Fixed Type Enclosure (Horizontal Style)



4U Fixed Type Enclosure (Vertical Style)

Item Description				Max. Fiber Capacity Per Enclosure			Part No.	
Rack Unit	Panel Style	Total No. of Faceplate Slot per Enclosure	Size of Faceplate Slot (H x W in mm)	FC/ST	SC	LC	P/N for Enclosure without Faceplate	P/N for Enclosure Preloaded with Faceplate ^{(1), (2), (3)}
1U	Horizontal	2	Size-A: 32 x 155	24F	24F	24F	F01	F01-02-Axxxx
4U	Vertical	12	Size-A: 32 x 155	144F	144F	N/A	F02	F02-12-Axxxx
4U	Vertical	12	Size-B: 32 x 120	72F	144F	144F	F03	F03-12-Bxxxx

(1) Part Nos. highlighted as Axxxx, Bxxxx refers to the selection of Rackmount Adapter Faceplate, please turn to Page 90 ~ 92 to select Part Nos. for Adapter Faceplate

(2) When adapter faceplates are ordered in a bundle with enclosure, it will be pre-loaded into the enclosure for shipment.

(3) When adapter faceplates are to be ordered separately with individual Part Nos. as in Page 90 ~ 92, the adapter faceplates will be packed and shipped separately.