

# D380 - 1U, 2U, 4U PATCHING ENCLOSURE

380mm depth rack-mountable enclosure in 1U, 2U or 4U designed for supporting direct patching.

Compatible with 19" EIA standard cabinets and rack system, the enclosure is offered with the options of modular Drawer Type or Fixed Type that pre-installed with fiber management spools and snap-in adapter faceplates (optional) with selection of different interfaces and fiber modes.



## KEY FEATURES :

- Offered in 1U, 2U or 4U with choices of Drawer Type and Fixed Type
- Accomodate with fiber management spools
- Re-lockable front plate with hinges
- Adjustable rackmount ears
- Modular drawer (Drawer Type) can be removed completely from the enclosure
- Inter-changeable drawers (Drawer Type) support easy reconfiguration
- Transparent front plate (for 4U)

## Specifications

<b>Main Material</b>	Standard offer : Steel Option of Aluminium on request
<b>Dimension</b>	1U x 435mm x 380mm
<b>Height (U) x Width (W) x</b>	2U x 435mm x 380mm
<b>Depth (D)</b>	4U x 435mm x 380mm
<b>Available Interfaces</b>	FC, SC, ST, LC
<b>Available Fiber Modes</b>	Singlemode (OS1/2) Multimode (OM1, OM2, OM3, OM4)
<b>Color &amp; Coating</b>	Black Powder Coating
<b>Compliance</b>	RoHS, EIA-310
<b>Preloaded Units</b>	Fiber Management Spools Adjustable Rackmount Ears, 70mm from the front plate (x 2pcs) Modular Drawer (For Drawer Type Only) Snap-in Adapter Faceplates (Optional items to order seperately, refer to Page 90 ~ 92)

# D380 - 1U, 2U, 4U PATCHING ENCLOSURE

## DRAWER TYPE

All Drawer Type Enclosures are designed to accommodate with modular sliding drawer for allowing easy reconfiguration for moves, adds and changes. They are offered with options of 1U, 2U or 4U.

The sliding drawers for this splicing enclosure are offered in either 1U (for housing 2 or 3pcs adapter faceplates), or 2U (for housing 4 or 6pcs adapter faceplates)




Example of Drawer Type Patching Enclosure in 2U, preloaded with 2pcs of P2A Drawer, 4-slot, 24F, SC Blue Adapter  
P/N: D15-04-A206B

### Types of Modular Drawer


4 options of patching drawers can be flexibly bundled with either 1U height with 2- or 3-slot, and 2U height with 4- or 6-slot.

**Drawer Style: P2A**




Patching drawer of 1U Height with 2-slot  
Use to house 2pcs of Size-A Faceplate (refer to Page 90)

**Drawer Style: P3B**




Patching drawer of 1U Height with 3-slot  
Use to house 3pcs of Size-B Faceplate (refer to Page 90)

**Drawer Style: P4A**



Patching drawer of 2U Height with 4-slot  
Use to house 4pcs of Size-A Faceplate (refer to Page 90)

**Drawer Style: P6B**



Patching drawer of 2U Height with 6-slot  
Use to house 6pcs of Size-B Faceplate (refer to Page 90)

# D380 - 1U, 2U, 4U PATCHING ENCLOSURE

## DRAWER TYPE

Item Description						Max. Fiber Capacity Per Enclosure			Part No.	
Rack Unit	Faceplate Slot Orientation	No. of Drawer Preloaded	Types of Drawer Preloaded <sup>(1)</sup>	Total No. of Faceplate Slot per Enclosure	Suitable Faceplate Size (H x W in mm)	FC/ST	SC	LC	P/N for Enclosure without Faceplate	P/N for Enclosure Preloaded with Faceplate <sup>(2), (3), (4)</sup>
1U	Horizontal	1	P2A	2-slot	Size-A: 32 x 155	24F	24F	48F	D11	D11-02-Axxxx
1U	Horizontal	1	P3B	3-slot	Size-B: 32 x 120	N/A	N/A	72F	D12	D12-03-Bxxxx
2U	Horizontal	1	P4A	4-slot	Size-A: 32 x 155	48F	48F	48F	D13	D13-04-Axxxx
2U	Horizontal	1	P6B	6-slot	Size-B: 32 x 120	48F	48F	48F	D14	D14-06-Bxxxx
2U	Horizontal	2	P2A	4-slot	Size-A: 32 x 155	48F	48F	48F	D15	D15-04-Axxxx
2U	Horizontal	2	P3B	6-slot	Size-B: 32 x 120	48F	48F	48F	D16	D16-06-Bxxxx
4U	Horizontal	2	P4A	8-slot	Size-A: 32 x 155	96F	96F	96F	D17	D17-08-Axxxx
4U	Horizontal	2	P6B	12-slot	Size-B: 32 x 120	96F	144F	144F	D18	D18-12-Bxxxx
4U	Horizontal	4	P2A	8-slot	Size-A: 32 x 155	96F	96F	96F	D19	D19-08-Axxxx
4U	Horizontal	4	P3B	12-slot	Size-B: 32 x 120	96F	144F	144F	D20	D20-12-Bxxxx

[1] Turn to Page 72 for Drawers details

[2] Part Nos. highlighted as Axxxx, Bxxxx refers to the selection of Rackmount Adapter Faceplate, please turn to Page 90 ~ 92 to select Part Nos. for Adapter Faceplate


[3] When adapter faceplates are ordered in a bundle with enclosure, it will be pre-loaded into the enclosure for shipment.

[4] When adapter faceplates are to be ordered separately with individual Part Nos. as in Page 90 ~ 92, the adapter faceplates will be packed and shipped separately.


## FIXED TYPE (DESIGN WITHOUT MODULAR DRAWER)

Fixed Type Enclosure is designed to accommodate with snap-in adapter faceplates with the most convenient and economical design.

It offers in 1U (for housing 2pcs adapter faceplates), and 4U (for housing 12pcs of adapter faceplates)



1U Fixed Type Enclosure (Horizontal Style )



4U Fixed Type Enclosure (Vertical Style )

Item Description				Max. Fiber Capacity Per Enclosure			Part No.	
Rack Unit	Panel Style	Total No. of Faceplate Slot per Enclosure	Size of Faceplate Slot (H x W in mm)	FC/ST	SC	LC	P/N for Enclosure without Faceplate	P/N for Enclosure Preloaded with Faceplate <sup>(1), (2), (3)</sup>
1U	Horizontal	2	Size-A: 32 x 155	24F	24F	24F	F04	F04-02-Axxxx
4U	Vertical	12	Size-A: 32 x 155	144F	144F	N/A	F05	F05-12-Axxxx
4U	Vertical	12	Size-B: 32 x 120	72F	144F	144F	F06	F06-12-Bxxxx

[1] Part Nos. highlighted as Axxxx, Bxxxx refers to the selection of Rackmount Adapter Faceplate, please turn to Page 90 ~ 92 to select Part Nos. for Adapter Faceplate

[2] When adapter faceplates are ordered in a bundle with enclosure, it will be pre-loaded into the enclosure for shipment.

[3] When adapter faceplates are to be ordered separately with individual Part Nos. as in Page 90 ~ 92, the adapter faceplates will be packed and shipped separately.