

PIGTAILS

Fiber optic cable assembly that is connectorized at one end with 900µm tight buffered simplex cable.

Make according to customer specified length and fiber mode, available for all connector choices including FC, SC, ST, LC and E2000.

Offered with the options of individual packed pigtails and 12-color pigtails set.



KEY FEATURES :

- Applicable for all kinds of fiber optic networks
- 900µm tight buffered simplex cable terminated with specified connector type
- Factory-tested assemblies with traceable test data
- Save time and cost of on-site installation
- Superior optical performance
- Made to comply Telcordia GR-326-CORE

Specifications

Cable Structure	Simplex Pigtail
Cable Type	900µm Tight Buffered Cable
Cable Buffered Colors	Yellow - Singlemode (OS 1/2) Orange - Multimode (OM1, OM2) Aqua - Multimode (OM3, OM4)
Connector Type Options	FC/SC/ST/LC/E2000
Endface Polish Options	APC/UPC/PC
Available Fiber Modes	Singlemode (OS 1/2) Multimode (OM1, OM2, OM3, OM4)
Jacket Material Options	Riser (OFNR) Low Smoke Zero Halogen (LSZH)

SIMPLEX PIGTAIL



Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
FC	OS1/2	APC	PTS1AS1AR-xxxM	PTS1AS1AL-xxxM
FC	OS1/2	UPC	PTS1US1AR-xxxM	PTS1US1AL-xxxM
FC	OM1	PC	PTS1PM1AR-xxxM	PTS1PM1AL-xxxM
FC	OM2	PC	PTS1PM2AR-xxxM	PTS1PM2AL-xxxM
FC	OM3	PC	PTS1PM3AR-xxxM	PTS1PM3AL-xxxM
FC	OM4	PC	PTS1PM4AR-xxxM	PTS1PM4AL-xxxM

(1) "xxx" refers to cable length in meter, please fill up your required length by 3 digits

PIGTAILS

SIMPLEX PIGTAIL



Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
SC	OS1/2	APC	PTS2AS1AR-xxxM	PTS2AS1AL-xxxM
SC	OS1/2	UPC	PTS2US1AR-xxxM	PTS2US1AL-xxxM
SC	OM1	PC	PTS2PM1AR-xxxM	PTS2PM1AL-xxxM
SC	OM2	PC	PTS2PM2AR-xxxM	PTS2PM2AL-xxxM
SC	OM3	PC	PTS2PM3AR-xxxM	PTS2PM3AL-xxxM
SC	OM4	PC	PTS2PM4AR-xxxM	PTS2PM4AL-xxxM

[1] "xxx" refers to cable length in meter, please fill up your required length by 3 digits



Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
ST	OS1/2	APC	PTS3AS1AR-xxxM	PTS3AS1AL-xxxM
ST	OS1/2	UPC	PTS3US1AR-xxxM	PTS3US1AL-xxxM
ST	OM1	PC	PTS3PM1AR-xxxM	PTS3PM1AL-xxxM
ST	OM2	PC	PTS3PM2AR-xxxM	PTS3PM2AL-xxxM
ST	OM3	PC	PTS3PM3AR-xxxM	PTS3PM3AL-xxxM
ST	OM4	PC	PTS3PM4AR-xxxM	PTS3PM4AL-xxxM

[1] "xxx" refers to cable length in meter, please fill up your required length by 3 digits



Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
LC	OS1/2	APC	PTS4AS1AR-xxxM	PTS4AS1AL-xxxM
LC	OS1/2	UPC	PTS4US1AR-xxxM	PTS4US1AL-xxxM
LC	OM1	PC	PTS4PM1AR-xxxM	PTS4PM1AL-xxxM
LC	OM2	PC	PTS4PM2AR-xxxM	PTS4PM2AL-xxxM
LC	OM3	PC	PTS4PM3AR-xxxM	PTS4PM3AL-xxxM
LC	OM4	PC	PTS4PM4AR-xxxM	PTS4PM4AL-xxxM

[1] "xxx" refers to cable length in meter, please fill up your required length by 3 digits



Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
E2000	OS1/2	APC	PTS5AS1AR-xxxM	PTS5AS1AL-xxxM
E2000	OS1/2	UPC	PTS5US1AR-xxxM	PTS5US1AL-xxxM
E2000	OM1	PC	PTS5PM1AR-xxxM	PTS5PM1AL-xxxM
E2000	OM2	PC	PTS5PM2AR-xxxM	PTS5PM2AL-xxxM
E2000	OM3	PC	PTS5PM3AR-xxxM	PTS5PM3AL-xxxM
E2000	OM4	PC	PTS5PM4AR-xxxM	PTS5PM4AL-xxxM



[1] "xxx" refers to cable length in meter, please fill up your required length by 3 digits

PIGTAILS

12-COLOR PIGTAILS SET

Each pack of pigtail set contains 12pcs of pigtail with 12-color tight buffered cables that connectorized with specified connector on one end.

12-color pigtail set is offered in accordance to TIA/EIA-598 color coding, it helps users to enhance splicing efficiency.



FC Pigtail Set				
Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
FC	OS1/2	APC	PTT1AS1AR-xxxM	PTT1AS1AL-xxxM
FC	OS1/2	UPC	PTT1US1AR-xxxM	PTT1US1AL-xxxM
FC	OM1	PC	PTT1PM1AR-xxxM	PTT1PM1AL-xxxM
FC	OM2	PC	PTT1PM2AR-xxxM	PTT1PM2AL-xxxM
FC	OM3	PC	PTT1PM3AR-xxxM	PTT1PM3AL-xxxM
FC	OM4	PC	PTT1PM4AR-xxxM	PTT1PM4AL-xxxM

(1) "xxx" refers to cable length in meter, please fill up your required length by 3 digits

SC Pigtail Set				
Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
SC	OS1/2	APC	PTT2AS1AR-xxxM	PTT2AS1AL-xxxM
SC	OS1/2	UPC	PTT2US1AR-xxxM	PTT2US1AL-xxxM
SC	OM1	PC	PTT2PM1AR-xxxM	PTT2PM1AL-xxxM
SC	OM2	PC	PTT2PM2AR-xxxM	PTT2PM2AL-xxxM
SC	OM3	PC	PTT2PM3AR-xxxM	PTT2PM3AL-xxxM
SC	OM4	PC	PTT2PM4AR-xxxM	PTT2PM4AL-xxxM

(1) "xxx" refers to cable length in meter, please fill up your required length by 3 digits

PIGTAILS

12-COLOR PIGTAILS SET

ST Pigtail Set			Part No. ⁽¹⁾	
Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
ST	OS1/2	APC	PTT3AS1AR-xxxM	PTT3AS1AL-xxxM
ST	OS1/2	UPC	PTT3US1AR-xxxM	PTT3US1AL-xxxM
ST	OM1	PC	PTT3PM1AR-xxxM	PTT3PM1AL-xxxM
ST	OM2	PC	PTT3PM2AR-xxxM	PTT3PM2AL-xxxM
ST	OM3	PC	PTT3PM3AR-xxxM	PTT3PM3AL-xxxM
ST	OM4	PC	PTT3PM4AR-xxxM	PTT3PM4AL-xxxM

(1) "xxx" refers to cable length in meter, please fill up your required length by 3 digits

LC Pigtail Set			Part No. ⁽¹⁾	
Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
LC	OS1/2	APC	PTT4AS1AR-xxxM	PTT4AS1AL-xxxM
LC	OS1/2	UPC	PTT4US1AR-xxxM	PTT4US1AL-xxxM
LC	OM1	PC	PTT4PM1AR-xxxM	PTT4PM1AL-xxxM
LC	OM2	PC	PTT4PM2AR-xxxM	PTT4PM2AL-xxxM
LC	OM3	PC	PTT4PM3AR-xxxM	PTT4PM3AL-xxxM
LC	OM4	PC	PTT4PM4AR-xxxM	PTT4PM4AL-xxxM

(1) "xxx" refers to cable length in meter, please fill up your required length by 3 digits

E2000 Pigtail Set			Part No. ⁽¹⁾	
Item Description			Part No. ⁽¹⁾	
Types of Connector	Fiber Mode	Ferrule Polishing	Riser (OFNR)	Low Smoke Zero Halogen (LSZH)
E2000	OS1/2	APC	PTT5AS1AR-xxxM	PTT5AS1AL-xxxM
E2000	OS1/2	UPC	PTT5US1AR-xxxM	PTT5US1AL-xxxM
E2000	OM1	PC	PTT5PM1AR-xxxM	PTT5PM1AL-xxxM
E2000	OM2	PC	PTT5PM2AR-xxxM	PTT5PM2AL-xxxM
E2000	OM3	PC	PTT5PM3AR-xxxM	PTT5PM3AL-xxxM
E2000	OM4	PC	PTT5PM4AR-xxxM	PTT5PM4AL-xxxM

(1) "xxx" refers to cable length in meter, please fill up your required length by 3 digits